

Message

From: [Nonresponsive based on revised scope]@WestonSolutions.com]
Sent: 7/9/2019 1:56:59 PM
To: Baker, Lorie [Baker.Lorie@epa.gov]
CC: O'Loughlin, Connor [oloughlin.connor@epa.gov]
Subject: RE: Blades Question

Another issue going to GW plume would help address is their comments on the validity of the selection of the background locations – which has to do with GW flow relative to the two facilities and release wells.

But I guess we'll see what they say. ...

[Nonresponsive based on revised scope]

Principal Project Scientist
Weston Solutions, Inc.

[Nonresponsive based on revised scope]

From: Baker, Lorie [mailto:Baker.Lorie@epa.gov]
Sent: Monday, July 08, 2019 4:27 PM
To: [Nonresponsive based on revised scope]@gdit.com>
Cc: Jeng, Terry <Jeng.Terry@epa.gov>; [Nonresponsive based on revised scope]@WestonSolutions.com>; O'Loughlin, Connor <oloughlin.connor@epa.gov>
Subject: Blades Question

**** External Email ****

Hi [Nonresponsive based on revised scope]

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Thanks!

Lorie

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.